

# MAYU-C-E-DIY

UST Projector Cabinet Designed for UST Projector, Center Channel and Fixed Screen for 100"-132" Screen on 8 feet Ceiling and above.



## Key Features



### Universal Compatibility

Accommodates virtually any UST projector, center channel speaker, and 100"-132" fixed screen.

### Child and Pet-Friendly

UST projector is concealed, preventing accidental disturbance to projector position.

### Smart Front Cabinet Cover

The front middle section is covered with acoustically transparent speaker grill cloth, allowing excellent audio performance.

### DIY KIT (Cost Cutting):

This is prepared for reducing the cost of the cabinet. The end customer is expected to prepare and assemble the product. Assembly skill required.



### IR-Compatible Doors

Allows operation of all devices using remote controls.



### Durable Construction

Built with plywood core and cabinet liner for strength and stability.  
No Messy Cables.



### Efficient Heat Management

Cabinet design enclosing three sides of the projector's top to manage heat dissipation.





### **Design and Construction**

The cabinet is crafted from high-quality plywood with a cabinet liner, ensuring durability and a polished appearance. Its thoughtful design incorporates adjustable components to accommodate a wide range of equipment sizes and configurations.



### **Ventilation and Cooling**

The open-back design of the UST projector section further enhances heat dissipation, ensuring optimal performance and longevity of your equipment.





### Safety and Convenience



The concealed design of the UST projector compartment adds an extra layer of safety, making it ideal for households with children or pets. IR-compatible doors enable seamless operation of all devices without the need to open the cabinet. This UST projector cabinet represents the perfect blend of form and function, offering a comprehensive solution for home theatre enthusiasts looking to maximize their viewing experience while maintaining a sleek and organized setup.



**USTCabinets.com**

