

**COMPANY URL:**

**[HTTPS://USTCABINET  
S.COM/](https://ustcabinet.com/)**

**COMPANY LOGO:**



## **ASSEMBLY INSTRUCTION MANUAL FOR MAYU-E MODEL**

**CONTACT INFO:**

PRODUCTION PLANT ADDRESS(WAREHOUSE): QCR  
3278 HIGHWAY 76 COTTON TOWN TN 37048.

CALL US: + 1 7079219271

EMAIL: [support@ustcprojectorcabinets.com](mailto:support@ustcprojectorcabinets.com)

# Index

1.TOOLS REQUIRED

2.RIGHT SECTION ASSEMBLY

3.LEFT SECTION ASSEMBLY

4.MIDDLE SECTION ASSEMBLY

5.COMBINE SECTIONS

6.DOORS FIXING

7.L CLAMPS & CABINIO CAPS



## CABINET MODEL

### TOOLS REQUIRED:

FOR FIXING THE CABINETS

FOR CABINETS WE WILL BE USING CABINET HEX BIT. THERE ARE ONLY 2 TOOL BITS:

A. CABINET HEX BIT




B. PHILIP BIT




C. POWER TOOL (FOR DRILLING)



# RIGHT SECTION ASSEMBLY




2.



SCREW THE CABINOS ON THE RIGHT BOTTOM PANEL.

4.



RIGHT SECTION BOTTOM PANEL: BOTH RIGHT AND LEFT PANELS ARE FIXED.

3.




FIXING THE CABINIOS (Fig:2)

5.




6.



AFTER COMPLETION OF SCREWING ALL THE CABINIOS THEN TOP PANEL NEED TO BE SCREWED ON EACH SIDE OF THE RIGHT AND LEFT PANELS.

7.



8.

HIGH QUALITY ALUMINUM ALLOY MATERIAL+ SOLID RUBBER BASE

ADJUSTABLE M8 THREAD SCREW-IN FURNITURE LEG



FIX THE LEGS FOR THE BOTTOM PANEL.

9.



RIGHT SECTION BOTTOM PANEL HAVING 4 HOLES TO FIX THE LEGS FOR IT.  
SEE FIG 8 TO FIX THE LEGS.

10.




11.



FIX THE EXHAUST FAN TO THE RIGHT PANEL.

12.



13.




RIGHT SECTION ADJUSTABLE PANEL IS FIXED IN BETWEEN  
ESTUD RACK.

RIGHT SECTION


## Easy Installation

Simply press the hinge clasp to separate from each other, then install the hinges and mounting plate on the door and the inside of the cabinet in turn.



### 1. Install the mounting plate to cabinet.

Drill pilot holes for screws. Align mounting plate to holes and fasten with screws. (No need to drill holes if your cabinets are perforated.)



### 2. Install the door to the cabinet.


Open hinge to full extension. Connect door to cabinet as shown.

14.




FIX RIGHT SECTION DOOR TO THE TOP PANEL OF THE CABINET BY GIVEN HINGS USING INSTALATION GUIDE TO FIX THEM

# LEFT SECTION ASSEMBLY




SCREW THE CABINOS ON THE LEFT BOTTOM PANEL.




LEFT SECTION BOTTOM PANEL: BOTH RIGHT AND LEFT PANELS ARE FIXED.



FIXING THE CABINIOS (Fig:2)



AFTER COMPLETION OF SCREWING ALL THE CABINIOS THEN TOP PANEL NEED TO BE SCREWED ON EACH SIDE OF THE RIGHT AND LEFT PANELS.



FIX THE LEGS FOR THE BOTTOM PANEL.

9.



LEFT SECTION BOTTOM PANEL HAVING 4 HOLES TO FIX THE LEGS FOR IT.  
SEE FIG 8 TO FIX THE LEGS.

10.



11.



FIX THE EXHAUST FAN TO THE LEFT PANEL.

12.



13.



LEFT SECTION ADJUSTABLE PANEL IS FIXED IN BETWEEN  
ESTUD RACK.

LEFT SECTION


## Easy Installation

Simply press the hinge clasp to separate from each other, then install the hinges and mounting plate on the door and the inside of the cabinet in turn.



### 1. Install the mounting plate to cabinet.

Drill pilot holes for screws. Align mounting plate to holes and fasten with screws. (No need to drill holes if your cabinets are perforated.)



### 2. Install the door to the cabinet.

Open hinge to full extension. Connect door to cabinet as shown.



FIX LEFT SECTION DOOR TO THE TOP PANEL OF THE CABINET BY GIVEN HINGS USING INSTALLAION GUIDE TO FIX THEM

# MIDDLE SECTION ASSEMBLY

1.



2.



SCREW THE CABINOS ON THE BOTTOM PANEL.

4.




MIDDLE SECTION BOTTOM PANEL: BOTH RIGHT AND LEFT PANELS ARE FIXED.

3.




FIXING THE CABINIOS (Fig:2)

5.




6.



AFTER COMPLETION OF SCREWING ALL THE CABINIOS THEN TOP PANEL NEED TO BE SCREWED ON EACH SIDE OF THE RIGHT AND LEFT PANELS.

7.



MIDDLE SECTION BOTTOM PANEL HAVING 4 HOLES TO FIX THE LEGS FOR IT. SEE FIG 8 TO FIX THE LEGS.

8.


HIGH QUALITY ALUMINUM ALLOY MATERIAL+ SOLID RUBBER BASE

ADJUSTABLE M8 THREAD SCREW-IN FURNITURE LEG




FIX THE LEGS FOR THE BOTTOM PANEL.

9.




10.




MIDDLE SECTION ADJUSTABLE PLATFORM

11.




MIDDLE SECTION ADJUSTABLE PANEL IS FIXED IN BETWEEN ESTUD RACK.

12.




MIDDLE SECTION BOTTOM PANEL SHOULD BE FIXED.

13.



MIDDLE SECTION




RIGHT AND LEFT SECTIONS ARE ATTACHED WITH THE MIDDLE SECTION USING T-NUTS

# DOORS FIXING

FIXING THE GLASS IN THE L GROOVE WITH THE HELP OF GLASS STOPES.

USING HINGS THE DOOR IS FIXED TO THE CABINET.




LEFT AND RIGHT SECTION DOORS

FIXING THE GLASS IN THE L GROOVE WITH THE HELP OF GLASS STOPES.


USING HINGS THE DOOR IS FIXED TO THE CABINET.




MIDDLE SECTION DOOR





SPEAKER GRILL CLOTH



## L CLAMPS & CABINIO CAPS



SCREW THE L CLAMPS USING SCREW DRIVER



## MAYU E CABINET